EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((optical near2 fiber) and (transmission near2 loss$2) and (mode near2 diameter) and (cable near2 cut$off) and OH$radical and bend$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 08:55
S1	2	(mode with field with diameter with ("1310" or "1.31")) and (Rayleigh with coefficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 09:35
S2	27	(mode with field with diameter) and (Rayleigh with coefficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 09:35
S3	42	(mode with field with diameter with ("1310" or "1.31")) and ((transmission with loss$2) or ("dB/km"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 09:25
S4	3	(((mode with field with diameter) or "MFD") with ("1310" or "1.31")) and (Rayleigh with coefficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 09:37
S5	3	(((mode with field with diameter) or "MFD") with ("1310" or "1.31")) and ((Rayleigh with coefficient) or "dB/km/.mu.m.sup.4")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 09:38
S6	90	(((mode with field with diameter) or "MFD")) and ((Rayleigh with coefficient) or "dB/km/.mu.m.sup.4")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 09:38
S7	1	2005-202254.NRAN.	DERWENT	OR	ON	2006/05/16 09:54

S8	55	(("5325450") or ("5417734") or ("5438640") or ("5883990") or ("6181858") or ("6157754") or ("6546180") or ("6275638") or ("6169837") or ("6744954") or ("6404950") or ("6650821") or ("6335995") or ("6229946") or ("6360046") or ("6301419") or ("6266467") or ("6256440") or ("6345140") or ("6343175") or ("6466721") or ("7079769") or ("6618532") or ("6377740") or ("6535677") or ("6532331") or ("6526209") or ("6571045") or ("6859598") or ("6574404") or ("6718105") or ("6496631") or ("6636677") or ("6766088") or ("6597846") or ("6606440") or ("6487353") or ("6805497") or ("6567597") or ("6556755") or ("6415089") or ("6666591") or ("6449415") or ("6661954") or ("6711331") or ("6791744") or ("6868213") or ("6473550") or ("6859595") or ("7046884") or ("7043131") or ("6853766") or ("6684017") or ("6901197") or ("7076140") or ("7043127")).PN.	US-PGPUB; USPAT	OR	OFF	2006/07/11 16:59
S9	3	(("20020176675") or ("20030147610") or ("6266467")). PN.	US-PGPUB; USPAT	OR	OFF	2006/07/18 09:58
S10	1	("6449415").PN.	US-PGPUB; USPAT	OR	OFF	2006/07/18 13:43
S11	3	(rayleigh same (mode with field with diameter) same ("1310" or "1. 31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 13:44
S12	11	rayleigh and ((mode with field with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 13:46
S13	11	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4")) and ((mode with field with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 13:53

EAST Search History

S14	12	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4")) and ((mode with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 13:54
S15	12	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4")) and (((mode or field) with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 13:59
S16	12	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4") or (".lambda..sup.4")) and (((mode or field) with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 13:59
S17	12	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4") or ("$.lambda..sup.4")) and (((mode or field) with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:00
S18	12	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4") or ("A/.lamda..sup.4")) and (((mode or field) with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:00
S19	12	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4") or ("1/.lamda..sup.4")) and (((mode or field) with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:03
S20	12	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4") or ("1/.lamda..sup.4") or ("dB/km.multidot..mu.m.sup.4")) and (((mode or field) with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:03
S21	12	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4") or ("1/.lamda..sup.4") or ("dB/km.mu.m.sup.4")) and (((mode or field) with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:03

S22	12	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4") or ("1/. lamda..sup.4") or ("dB/km.mu.m.. sup.4")) and (((mode or field) with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:04
S23	12	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4") or ("1/. lamda..sup.4") or ("dB/kmnm.sup. 4")) and (((mode or field) with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:04
S24	59	(((transmission adj loss$2) or ("dB/km")) same ("1310" or "1.31")) and (((mode or field) with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:25
S25	97	(((transmission adj loss$2) or ("dB/km")) same ("1310" or "1.31")) and ((((mode or field) with diameter) or ".mu.m." or "MFD") same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:46
S26	120	(((transmission adj loss$2) or ("dB/km") or attenuation) same ("1310" or "1.31")) and ((((mode or field) with diameter) or ".mu.m." or "MFD") same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:47
S27	23	S26 not S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 16:57
S28	1	2004-219102.NRAN.	DERWENT	OR	ON	2006/07/18 14:58
S29	1	2005-452439.NRAN.	DERWENT	OR	ON	2006/07/18 16:55
S30	1	("20030210878").PN.	US-PGPUB; USPAT	OR	OFF	2006/07/18 17:07
S31	1	("6266467").PN.	US-PGPUB; USPAT	OR	OFF	2006/07/18 17:07
S32	1	"peterman-I"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/24 11:14

S33	14	"petermann-I"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/24 11:17
S34	30	(US-20020102082-$ or US-20030123839-$ or US-20030210878-$ or US-20040136668-$ or US-20020021877-$ or US-20020051612-$ or US-20030174988-$ or US-20040033039-$ or US-20040264896-$ or US-20050063663-$ or US-20030026566-$ or US-20040126074-$ or US-20020044753-$).did. or (US-5774620-$ or US-5905838-$ or US-6131415-$ or US-6301426-$ or US-6577800-$ or US-6901196-$ or US-7050687-$ or US-6400878-$ or US-6885802-$ or US-6282354-$ or US-6704486-$ or US-6205268-$ or US-6064789-$ or US-6449415-$ or US-6266467-$).did. or (JP-2004043215-$ or JP-2005181664-$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/07/24 11:17
S35	10	S34 and (clad$4 with fluorine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/24 11:18
S36	1	("6449415").PN.	US-PGPUB; USPAT	OR	OFF	2007/01/22 10:23
S37	9	((("20030174988") or ("6345140") or ("6266467") or ("6301426") or ("20020044753") or ("6205268") or ("20040136668") or ("20040033039") or ("20030147610") or ("6266467")).PN.	US-PGPUB; USPAT	OR	OFF	2007/01/22 10:24
S38	2	(("4525027") or ("4089588")).PN.	US-PGPUB; USPAT	OR	OFF	2007/07/19 10:34

IEEE *Xplore*®
RELEASE 2.4

**Welcome United States Patent and Trademark Office**

☐ Search Session History

BROWSE   SEARCH   IEEE XPLORE GUIDE

Edit an existing query or
compose a new query in the
Search Query Display.

Mon, 12 Nov 2007, 8:57:44 AM EST

**Search Query Display**

**Select a search number (#)
to:**

- Add a query to the Search
  Query Display
- Combine search queries
  using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1   (optical and fiber and transmission and loss and mode and
      diameter and cable and cutoff and radical<in>metadata)

#2   (optical and fiber and transmission and loss and mode and
      diameter and cable and cutoff<in>metadata)

Help   Contact Us   Privacy & :

Indexed by
ōj Inspec®

© Copyright 2007 IEEE –

Dialog DataStar

| options | logoff | feedback | help |

databases   easy search

Advanced Search:
Inspec - 1898 to date (INZZ)

limit

Search history:

No.	Database	Search term	Info added since	Results	
CP		[Clipboard]		0	-
1	INZZ	optical AND fiber AND transmission AND loss AND mode AND diameter AND cable AND cutoff AND radical	unrestricted	0	-
2	INZZ	optical AND fiber AND transmission AND loss AND mode AND diameter AND cable AND cutoff	unrestricted	3	show titles

hide | delete all search steps... | delete individual search steps...

Enter your search term(s): Search tips   ☐ Thesaurus mapping

| | whole document ▾ | 🛈

Information added since: [_____] or: [none ▾]
(YYYYMMDD)

search

☐ Images

Select special search terms from the following list(s):
➲ Publication year 1950-
➲ Publication year 1898-1949
➲ Inspec thesaurus - browse headings 🛈
➲ Inspec thesaurus - enter a term 🛈
➲ Classification codes A: Physics, 0-1
➲ Classification codes A: Physics, 2-3
➲ Classification codes A: Physics, 4-5
➲ Classification codes A: Physics, 6
➲ Classification codes A: Physics, 7